






ISSUE	MODIFY DESCRIPTION	DATE
1.0	First Issue	2018.12.20



TFT ASSIGNMENT:

PIN	SYMBLE
1	GND
2	LCD_VDD_2V8
3	LCD_IOVDD_1V8
4	GND
5	LCD_ID
6	LCD_RST
7	LCD_TE
8	GND
9	LCD_D1P
10	LCD_D1N
11	GND
12	LCD_CLK_N
13	LCD_CLK_P
14	GND
15	LCD_D0P
16	LCD_D0N
17	GND
18	LCD_D2P
19	LCD_D2N
20	GND
21	LCD_D3P
22	LCD_D3N
23	LED+
24	LED+

Display Type	Transmissive, Normally Black
Display Resolution	720(RGB)X1280
Viewing Angle	FREE
Controller/Driver	RM68200(TFT)
Driving Voltage	2.8V(TFT)+1.8V(TFT)
Operation Temperature	-20°C TO 60°C
Storage Temperature	-30°C TO 70°C
Backlight Speciality	12PCS LEDS, Vf=19.2V, If=40mA
Remark	Luminance: 350cd/m ² All materials in the drawing comply with the ROHS



LED Diagram Circuit

TITLE:	LCM Outline		
PROJECT NO:	RK050BHD206A0		
DESCRIPTION:	5.0 Inch TFT		
GENERAL TOLERANCE:	±0.3		
Rocktech Displays Limited			
THIRD ANGLE PROJECTION			
	NAME	SIGN	DATE
DRAWN	Marvin Zhou		2018.12.20
CHECKED	Marvin Zhou		2018.12.20
REV: 1.0	UNIT: MM	SCALE: 1/1	SHEET: 1 OF 1