





ISSUE	MODIFY DESCRIPTION	DATE
1.0	First Issue	2019.05.20



TFT ASSIGNMENT:

PIN	SYMBLE
1	VLED-
2	VLED+
3	GND
4	VDD
5	R0
6	R1
7	R2
8	R3
9	R4
10	R5
11	R6
12	R7
13	G0
14	G1
15	G2
16	G3
17	G4
18	G5
19	G6
20	G7
21	B0
22	B1
23	B2
24	B3
25	B4
26	B5
27	B6
28	B7
29	GND
30	DCLK
31	DISP
32	HSYNC
33	VSYNC
34	DE
35	NC
36	GND
37	NC(XR)
38	NC(YD)
39	NC(XL)
40	NC(YU)

Display Type	Transmissive, Normally Black
Display Resolution	480(RGB)X272
Viewing Angle	FREE
Controller/Driver	SC7283
Driving Voltage	3.3V
Operation Temperature	-20°C TO 70°C
Storage Temperature	-30°C TO 80°C
Backlight Speciality	10PCS LEDS, Vf=16V, If=40mA
Remark	Luminance: 500cd/m <sup>2</sup> All materials in the drawing comply with the ROHS



TITLE:		LCM Outline	
PROJECT NO:		RK043HN01HS	
DESCRIPTION:		4.3 Inch TFT	
GENERAL TOLERANCE: ±0.2			
<b>Rocktech Displays Limited</b>			
THIRD ANGLE PROJECTION			
	NAME	SIGN	DATE
DRAWN	Marvin Zhou		2019.05.20
CHECKED	Marvin Zhou		2019.05.20
REV: 1.0	UNIT: MM	SCALE: 1/1	SHEET: 1 OF 1